# Novatech

### **500 Series** Patio Doors






The 550 door offers **exceptional energy efficiency** that meets the **Energy Star** standard while the Element door features superior durability and an outstanding finish thanks to its aluminum cladding. Ideal for both renovation and new construction projects, their wide choice of sizes and configurations are suitable for any type of building.



The **550** door: Simply good looking With its clean profile and elegant handle, the 550 door offers a **modern look** that blends in with your decor. It will make you appreciate your living space more, inside and out, thanks to the light provided by its large glazed surface. This high quality door is a sure value.



### Add color with the **ELEMENT** door

The advantages of a patio door with **aluminum cladding** are undeniable: enhanced look, strength and durability. With its 6 trendy colors, Element allows you to personalize your door. Let your creativity run free to create the incredible decor you dream of.

Six colors of exterior aluminium cladding at no additional cost! Standard white PVC interior.











White (Blue tint)

White (Cream tint)

Black





	Features	550	ELEMENT
	Frame		
	Aluminium-clad wood and PVC frame		✓
	Frame depths from 5½" to 11¾"	✓	✓
	Quick draining sill sloped at 9°	✓	✓
A	Cavity filler cap	PVC — Option	Aluminium outside — Included PVC inside — Option
B	Aluminum sill cover	Option	✓
	Give your 550 door a superior look and finish with these two options.		
	Sash		
	Aluminum clad sash		✓
	45° fusion welded corners and interior glazing stops	✓	✓
	Steel reinforcements in the vertical stiles	✓	✓
	Color		
	Six standard colors of aluminum cladding		<b>~</b>
	Insulated Glass		
	Tempered Low E glass with low-conductive spacer	✓	✓
	Hardware		
	<b>Look</b> contemporary style mortise handle NEW	✓	✓
	<b>View</b> contemporary style mortise handle NEW	Option	Option

### **Options**

#### Configurations X OPERATING PANEL OFIXED PANEL (OUTSIDE VIEW) 7' & 8' 5' 6′ 9'& 12' 9'& 12' 10'& 12' 0 0 0 0 0 0 0 0 0 0 550 59½"×79½" 71½"×79½" 95 ½" × 79 ½" 105" × 79½" 1073/16" × 791/2" 116 1/16" × 79 1/2" $103\%6" \times 81"$ $58\frac{1}{2}" \times 81"$ 70½"×81" 82 ½" × 81" 105%"×81" 140½"×79½" $59\%" \times 95\%"$ 71½"×95½" 94 ½"×81" 139 %" × 81" 141%"×81" $114\frac{1}{2}" \times 81"$ $95 \frac{1}{2}" \times 95 \frac{1}{2}"$ $138 \% 6'' \times 81''$ 9' XOO or OOX door 140½"×95½" available on demand **ELEMENT** 59½"×79½" 71½"×79½" 95 ½" × 79 ½" 105" × 79½" 1073/16" × 791/2" 116 1/16" × 79 1/2" $58\frac{1}{2}" \times 81"$ 70½"×81" 82 ½" × 81" $103\%6" \times 81"$ 105%"×81" 114½"×81" $59\frac{1}{2}" \times 95\frac{1}{2}"$ $71\frac{1}{2}" \times 95\frac{1}{2}"$ 94 ½"×81" $105" \times 95 \frac{1}{2}"$ $107\frac{3}{16}" \times 95\frac{1}{2}"$ $116\%6'' \times 95\%''$ 95 ½" × 95 ½" 139 %" × 81" 141%"×81" 140½"×79½" $138\%6'' \times 81''$ 9' XOO or OOX door $140\frac{1}{2}$ " × $95\frac{1}{2}$ " available on demand Hardware Look Handle (Standard) View Handle (Option) Zinc or stainless steel double-point Zinc or stainless steel double-point

#### Colors



More than 100 colours available. Custom colours on demand.

mortise option available

Key lock option available

White

## Decorative Options



**Dividers**Rectangular 2", 1×3 or 1×4



**Grids**Rectangular <sup>5</sup>%″, 3 × 6



mortise option available

Key lock option available

Satin Nickel

Oil Rubbed Bronze (paint)

White


Hanging Grids
Rectangular 5%" ou 1", 3 × 1

#### Integrated blinds



Integrated blinds are a great way to let light in during the day while ensuring absolute privacy at any moment. Easy to operate with two discreet buttons. Because the blinds are between the glass, they are virtually maintenance free. Available in two colors to match any decor.





White

Satin gray

#### Security



Double-point mortise lock (Option shown with Look handle)



Three-position foot lock option (Option only available in white)



Security bar option (Option only available in white)

#### Other **Options**

#### Configuration

- Transoms
- Sidelites
- Aluminum sill cover (Standard for Element)
- Inside PVC cavity filler cap (Element outside aluminium cavity filler cap included)
- Inside / outside PVC cavity filler cap / exterior (550)

#### Glass options

- · Low E glass
- Triple glass
- Tinted grey or bronze glass

#### Security options

· Reinforced screen

#### Installation options

- Wood extension on 3 or 4 sides with interior PVC cladding
- PVC Brick mould and aluminum sill extension (550)
- Aluminum brick mould and sill extension (Élément)
- PVC Drywall moulding
- · Nail fin

Performance		550	ELEMENT
	Air leakage resistance	A3	A3
	Water penetration resistance	B4 / 400 Pa	B4 / 400 Pa
	Wind resistance	C3	C3
	Operating force	E3	E3
	Forced-entry resistance Uniform load structural test	F2	F2
		DP-45	DP-50
	Global	PG-R45	PG-R50
	Laboratory tested Harmonized standards — AAMA / WDMA / CSA101 / I.S.2 / A440-08 Canadian standards CAN/CGSB-82.1-M89	Reference 71½" × 81" door	Reference 71½"×81" door

		550			ELEMENI		
	Insulated Glass	RE	U Value		RE	U Value	
Standard	Double-pane — Low E on face 3	34	1.70	<b>ENERGY STAR</b>	32	1.76	
Option	Double-pane — Low E on face 2	32	1.70		30	1.76	
Option	Triple-pane — Low E on face 5	38	1.36	ENERGY STAR	37	1.42	ENERGY STAR

#### Warranty



20 years limited warranty on white PVC and Aluminum extrusions and sealed units (Residential applications). 10 years limited warranty for the paint on PVC or Aluminum and on integrated blinds. 5 years limited warranty on hardware. 1 year limited warranty starting on the date of delivery, applied to all manufacturing defects of the product as well as to labor and transportation costs. Consult your retailer for more information.